



(segmentation OR split) biometric

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 1 - 10 on (segmentation OR split) biometric. (0.30 seconds)

« [View all web results for \(segmentation OR split\) biometric](#) | [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Cryptographic key split combiner

US Pat. 6542608 - Filed Jul 31, 2001 - TecSec Incorporated

The cryptographic key combiner of claim 17, wherein said plurality of key split generators further includes a biometric split generator for generating a ...

Method and apparatus for recognizing identity of individuals employing ...

US Pat. 6219639 - Filed Apr 28, 1998 - International Business Machines Corporation

The apparatus corresponding to the same segmentation unit, includes an extractor for extracting a biometric attribute 5 Thus, for example, if an individual ...

Cryptographic key split combiner

US Pat. 6885747 - Filed Feb 13, 1998 - Tec. Sec, Inc.

The biometric split 38 is generated from biometric data vectors 58 provided by ... The biometric split 38 provides information that is incapable of being ...

Apparatus and method for expandable biometric searching

US Pat. 6047282 - Filed Dec 5, 1997 - AuthenTec, Inc.

The entries in the node are then divided or split along the mean value which was ... Each of the biometric records 12 preferably includes at least one ...

Cryptographic key split combiner

US Pat. 6549623 - Filed Feb 4, 2002 - TecSec, Incorporated

Further, a biometric split may be to the communication is valid. ... The TU. i it i/r • j • jfu • i token split and the biometric split may be combined with ...

Method and apparatus for expandable biometric searching

US Pat. 6070159 - Filed Dec 5, 1997 - AuthenTec, Inc.

Preferably for this split, once this split line has been drawn based upon the ... Each of the biometric records preferably includes at least one biometric ...

Cryptographic key split combiner

US Pat. 6606386 - Filed Jul 31, 2001 - TecSec INC

30 The biometric split 38 is generated from biometric data vectors 58 provided by ... The biometric split 38 provides information that is incapable of being ...

Method and apparatus for expandable biometric searching

US Pat. 6047281 - Filed Dec 5, 1997 - AuthenTec, Inc.

It will be understood by those skilled in the 5 art that biometric records ... The entries in the node are then divided or split along the mean value which ...

Cryptographic key split combiner

US Pat. 6608901 - Filed Jul 31, 2001 - TecSec, Inc.

The biometric split 38 is generated from biometric data vectors 58 provided by

... The **biometric split** 38 provides 45 information that is incapable of being ...

Tokenless **biometric** ATM access system

US Pat. 6154879 - Filed Feb 5, 1999 - SmartTouch, Inc.

After a threshold number of biometrics are assigned, the giant **biometric** group is **split** in two. Thereafter, this process is applied to all succeeding ...



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

(segmentation OR split) biometric	Search Patents
-----------------------------------	-----------------------

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



(combine OR split) biometric

Search Patents

[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 1 - 10 on (combine OR split) biometric. (0.78 seconds)

« [View all web results for \(combine OR split\) biometric](#) | [Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Tokenless biometric transaction authorization system

US Pat. 5838812 - Filed Jul 25, 1996 - SmartTouch, LLC

40 Automated Teller Machinery; uses encoded biometric identity ... combine biometric registration information with an individual-selected PIN and selected ...

System, method and computer program product for allowing access to ...

US Pat. 6256737 - Filed Mar 9, 1999 - BioNetrix Systems Corporation

As will be shown later, the flexibility of the open interface enables administrators to combine biometric devices via biometric policies for the ...

Tokenless identification system for authorization of electronic transactions ...

US Pat. 5613012 - Filed May 17, 1995 - Smarttouch, LLC.

BIA: 15 Biometric input apparatus; collects biometric identity ... combine biometric registration information with an individual-selected PIN and selected ...

Tokenless security system for authorizing access to a secured computer system

US Pat. 5615277 - Filed Nov 28, 1994

In a variation on the use of a personal code, the comparison means of the security system may be modified to combine biometric sample-personal code pairs to ...

Method and apparatus for histological and physiological biometric operation ...

US Pat. 6483929 - Filed Aug 18, 2000 - Tarian LLC

30 Some biometric authentication systems combine biometric measurements with conditions behavior such as signature writing styles and voice patterns or ...

Tokenless identification of individuals

US Pat. 5805719 - Filed Mar 18, 1997 - SmartTouch

40 BIA Biometric input apparatus; collects biometric identity information ... combine biometric registration information with an individual-selected PIN and ...

Cryptographic key split combiner

US Pat. 6542608 - Filed Jul 31, 2001 - TecSec Incorporated

The cryptographic key combiner of claim 17, wherein said plurality of key split generators further includes a biometric split generator for generating a ...

System and method for authenticating electronic transactions using biometric ...

US Pat. 6202151 - Filed Dec 31, 1997 - GTE Service Corporation

The system of claim 1, wherein the electronic transaction generator includes: a concatenator configured to combine the biometric digital signature and the ...

Method and apparatus for recognizing identity of individuals employing ...

US Pat. 6219639 - Filed Apr 28, 1998 - International Business Machines Corporation

It is another object of the present invention to provide methods and apparatus


for recognizing individuals that **combine** and synchronize **biometric** and/or ...

Cryptographic key **split** combiner

US Pat. 6885747 - Filed Feb 13, 1998 - Tec.Sec, Inc.

The **biometric split** 38 is generated from **biometric** data vectors 58 provided by

... The **biometric split** 38 provides information that is incapable of being ...



Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+biometric +feature +server +client pixel portion part piece sa



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published since January 1970 and Published before December 2002

Terms used:

Found 33 of 133,588

biometric feature server client pixel portion part piece sample

Sort results by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 20 of 33

Result page: [1](#) [2](#) [next](#)

Relevance scale

1 [Response to "Problems with DCE security services"](#)



Walter Tuvell

April 1996 **ACM SIGCOMM Computer Communication Review**, Volume 26 Issue 2

Publisher: ACM Press

Full text available: pdf(1.01 MB) Additional Information: [full citation](#), [index terms](#)

2 [Making computers disappear: appliance data services](#)



Andrew C. Huang, Benjamin C. Ling, John Barton, Armando Fox

July 2001 **Proceedings of the 7th annual international conference on Mobile computing and networking MobiCom '01**

Publisher: ACM Press

Full text available: pdf(691.57 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Digital appliances designed to simplify everyday tasks are readily available to end consumers. For example, mobile users can retrieve Web content using handheld devices since content retrieval is well-supported by infrastructure services such as transformational proxies. However, the same type of support is lacking for input-centric devices, those that create content and allow users to share content. This lack of infrastructural support makes input-centric devices hard to use and less useful. ...

3 [Applications I: Secure fingerprint-based authentication for Lotus Notes®](#)



Nalini K. Ratha, Jonathan H. Connell, Ruud M. Bolle


October 2001 **Proceedings of the 2001 workshop on Multimedia and security: new challenges MM&Sec '01**

Publisher: ACM Press

Full text available: pdf(731.41 KB) Additional Information: [full citation](#), [abstract](#), [references](#)


Fingerprints have been used to recognize people for several decades. The advent of low cost inkless fingerprint scanners coupled with extra compute power available in client workstations, biometrics in general and fingerprints in particular are being considered for many secure authentication applications. Lotus Notes is a groupware supporting email access and other activities such as calendar management included in it. In this paper, we describe the architecture of a system that integrates bo ...

4 Assurance in life/nation critical endeavors: Biometrics or ... biohazards?

 John Michael Williams

September 2002 **Proceedings of the 2002 workshop on New security paradigms NSPW '02**


Publisher: ACM Press

Full text available:  pdf(1.17 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

IPSE DIXIT Biometrics as an array of deployable technologies presumes an elaborate infrastructure, including underlying science that justifies its claims of detection, classification and authentication of individual human identities; particularly of those who are runaways, illegal immigrants, fugitives, criminals, terrorists, and so on. This will now too often be literally a matter of life and death, both for the public and the individuals identified. The "New Security Paradigm" em ...

5 Strategic directions in electronic commerce and digital libraries: towards a digital

 agora

Nabil Adam, Yelena Yesha


December 1996 **ACM Computing Surveys (CSUR)**, Volume 28 Issue 4

Publisher: ACM Press

Full text available:  pdf(244.34 KB)


Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 Application-layer mobility using SIP

 Henning Schulzrinne, Elin Wedlund

July 2000 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 4 Issue 3


Publisher: ACM Press

Full text available:  pdf(1.34 MB)

Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Supporting mobile Internet multimedia applications requires more than just the ability to maintain connectivity across subnet changes. We describe how the Session Initiation Protocol (SIP) can help provide terminal, personal, session and service mobility to applications ranging from Internet telephony to presence and instant messaging. We also briefly discuss application-layer mobility for streaming multimedia applications initiated by RTSP.

7 I M everywhere: What is chat doing in the workplace?

 Mark Handel, James D. Herbsleb

November 2002 **Proceedings of the 2002 ACM conference on Computer supported cooperative work CSCW '02**

Publisher: ACM Press

Full text available:  pdf(627.10 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We report an empirical study of a synchronous messaging application with group-oriented functionality designed to support teams in the workplace. In particular, the tool supports group chat windows that allow members of a group to communicate with text that persists for about a day. We describe the experience of 6 globally-distributed work groups who used the tool over a period of 17 months. An analysis of use shows that the group functionality was used primarily for bursts of synchronous conver ...

Keywords: MUD, awareness, chat, groupware, instant messaging, presence, teams

8 Security: Zero-interaction authentication



Mark D. Corner, Brian D. Noble

September 2002 **Proceedings of the 8th annual international conference on Mobile computing and networking MobiCom '02**

Publisher: ACM Press

Full text available: pdf(273.30 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Laptops are vulnerable to theft, greatly increasing the likelihood of exposing sensitive files. Unfortunately, storing data in a cryptographic file system does not fully address this problem. Such systems ask the user to imbue them with long-term authority for decryption, but that authority can be used by anyone who physically possesses the machine. Forcing the user to frequently reestablish his identity is intrusive, encouraging him to disable encryption. Our solution to this problem is Zero- ...

Keywords: *cryptographic file systems, mobile computing, stackable file systems, transient authentication*

9 Integrated network computing models, programming modes and software tools



V. K. Murthy, E. V. Krishnamurthy

February 1998 **Proceedings of the 1998 ACM symposium on Applied Computing SAC '98**

Publisher: ACM Press

Full text available: pdf(698.60 KB)

Additional Information: [full citation](#), [references](#), [index terms](#)

10 Multilateral security a concept and examples for balanced security



Kai Rannenberg

February 2001 **Proceedings of the 2000 workshop on New security paradigms NSPW '00**

Publisher: ACM Press

Full text available: pdf(1.05 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: GSM, mobile communication, multilateral security, negotiation, privacy, protection, reachability management, security management, simulation study

11 User authentication through keystroke dynamics



Francesco Bergadano, Daniele Gunetti, Claudia Picardi

November 2002 **ACM Transactions on Information and System Security (TISSEC), Volume 5 Issue 4**

Publisher: ACM Press

Full text available: pdf(351.02 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Unlike other access control systems based on biometric features, keystroke analysis has not led to techniques providing an acceptable level of accuracy. The reason is probably the intrinsic variability of typing dynamics, versus other---very stable---biometric characteristics, such as face or fingerprint patterns. In this paper we present an original measure for keystroke dynamics that limits the instability of this biometric feature. We have tested our approach on 154 individuals, achieving a F ...

Keywords: Biometric techniques, keystroke analysis

12 Software cultures



Hilda Tellioglu, Ina Wagner

December 1999 **Communications of the ACM**, Volume 42 Issue 12

Publisher: ACM Press

Full text available: pdf(272.92 KB)

html(35.74 KB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



13 Empirical investigation of the Markov reference model

Vincenzo Liberatore

January 1999 **Proceedings of the tenth annual ACM-SIAM symposium on Discrete algorithms SODA '99**

Publisher: Society for Industrial and Applied Mathematics

Full text available: pdf(1.23 MB)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)



14 Developing adaptive groupware applications using a mobile component framework



Radu Litiu, Atul Parakash

December 2000 **Proceedings of the 2000 ACM conference on Computer supported cooperative work CSCW '00**

Publisher: ACM Press

Full text available: pdf(168.38 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A need exists to develop groupware systems that adapt to available resources and support user mobility. This paper presents DACIA, a system that provides mechanisms for building such groupware applications. Using DACIA, components of a groupware application can be moved to different hosts during execution, while maintaining communication connectivity with groupware services and other users. DACIA provides mechanisms that simplify building groupware for domains where users are mobile. New co ...



15 Authentication and authorization: Securing passwords against dictionary attacks



Benny Pinkas, Tomas Sander

November 2002 **Proceedings of the 9th ACM conference on Computer and communications security CCS '02**

Publisher: ACM Press

Full text available: pdf(216.72 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The use of passwords is a major point of vulnerability in computer security, as passwords are often easy to guess by automated programs running dictionary attacks. Passwords remain the most widely used authentication method despite their well-known security weaknesses. User authentication is clearly a practical problem. From the perspective of a service provider this problem needs to be solved within real-world constraints such as the available hardware and software infrastructures. From a user' ...



16 Special session on security on SoC: Securing wireless data: system architecture challenges




Srivaths Ravi, Anand Raghunathan, Nachiketh Potlapally

October 2002 **Proceedings of the 15th international symposium on System Synthesis ISSS '02**

Publisher: ACM Press



Full text available:  [pdf\(172.35 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Security is critical to a wide range of current and future wireless data applications and services. This paper highlights the challenges posed by the need for security during system architecture design for wireless handsets, and provides an overview of emerging techniques to address them. We focus on the computational requirements for securing wireless data transactions, revealing a gap between these requirements and the trends in processing capabilities of embedded processors used in wireless h ...

Keywords: 3DES, AES, DES, IPSec, RSA, SSL, WTLS, decryption, design methodology, embedded system, encryption, handset, mobile computing, performance, platform, security, security processing, system architecture, wireless communications


17 Reflection as a mechanism for software integrity verification



Diomidis Spinellis

February 2000 **ACM Transactions on Information and System Security (TISSEC)**, Volume 3 Issue 1

Publisher: ACM Press

Full text available:  [pdf\(85.99 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

The integrity verification of a device's controlling software is an important aspect of many emerging information appliances. We propose the use of reflection, whereby the software is able to examine its own operation, in conjunction with cryptographic hashes as a basis for developing a suitable software verification protocol. For more demanding applications meta-reflective techniques can be used to thwart attacks based on device emulation strategies. We demonstrate how our approach can be ...

Keywords: cryptographic hash function, embedded device, message digest

18 Problems with DCE security services



Gregory White, Udo Pooch

October 1995 **ACM SIGCOMM Computer Communication Review**, Volume 25 Issue 5

Publisher: ACM Press

Full text available:  [pdf\(479.39 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Distributed computing is receiving an ever increasing amount of interest and with it come many challenges, not the least of which is how to maintain system and network security. Issues relating to user authentication, access authorization, and communication security must be addressed when multiple, heterogeneous systems are connected. While these issues have been addressed in OSFs DCE, several problems remain. This paper describes some of these problems.

19 P6: Document-based inter-organizational information exchange



Reinhard Riedl

October 2001 **Proceedings of the 19th annual international conference on Computer documentation SIGDOC '01**

Publisher: ACM Press


Full text available:  [pdf\(217.62 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we present our research work on document services for interstate e-government carried out in the FASME project. First, we depict the background for our research and we describe its basic challenges. Then we discuss the required services out of the perspective of inter-organizational document services and documentation issues. From the evaluations of our prototypical implementation with user groups, we may

conclude that interstate e-government services are feasible and that life w ...

Keywords: e-government, inter-organizational work-flows

20 Software security and privacy risks in mobile e-commerce

 Anup K. Ghosh, Tara M. Swaminatha

February 2001 **Communications of the ACM**, Volume 44 Issue 2

Publisher: ACM Press

Full text available:  pdf(90.58 KB) Additional Information: [full citation](#), [appendices and supplements](#),
 html(38.81 KB) [references](#), [cited by](#), [index terms](#)

Results 1 - 20 of 33

Result page: [1](#) [2](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☒ The ACM Digital Library ☐ The Guide[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published since January 1970 and Published before December 2002

Found 33 of 133,588

Terms used: **biometric feature server client**Sort results
byDisplay
results[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 33

Result page: [1](#) [2](#) [next](#)

Relevance scale

1 [Applications I: Secure fingerprint-based authentication for Lotus Notes®](#)



Nalini K. Ratha, Jonathan H. Connell, Ruud M. Bolle

October 2001 **Proceedings of the 2001 workshop on Multimedia and security: new challenges MM&Sec '01**

Publisher: ACM Press

Full text available: [pdf\(731.41 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Fingerprints have been used to recognize people for several decades. The advent of low cost inkless fingerprint scanners coupled with extra compute power available in client workstations, biometrics in general and fingerprints in particular are being considered for many secure authentication applications. Lotus Notes is a groupware supporting email access and other activities such as calendar management included in it. In this paper, we describe the architecture of a system that integrates bo ...

2 [Response to "Problems with DCE security services"](#)



Walter Tuvell

April 1996 **ACM SIGCOMM Computer Communication Review**, Volume 26 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.01 MB\)](#) Additional Information: [full citation](#), [index terms](#)

3 [User authentication through keystroke dynamics](#)



Francesco Bergadano, Daniele Gunetti, Claudia Picardi

November 2002 **ACM Transactions on Information and System Security (TISSEC)**, Volume 5 Issue 4

Publisher: ACM Press

Full text available: [pdf\(351.02 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Unlike other access control systems based on biometric features, keystroke analysis has not led to techniques providing an acceptable level of accuracy. The reason is probably the intrinsic variability of typing dynamics, versus other---very stable---biometric characteristics, such as face or fingerprint patterns. In this paper we present an original measure for keystroke dynamics that limits the instability of this biometric feature. We have tested our approach on 154 individuals, achieving a F ...

Keywords: Biometric techniques, keystroke analysis

4 Developing adaptive groupware applications using a mobile component framework



Radu Litiu, Atul Parakash

December 2000 **Proceedings of the 2000 ACM conference on Computer supported cooperative work CSCW '00**

Publisher: ACM Press

Full text available: pdf(168.38 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A need exists to develop groupware systems that adapt to available resources and support user mobility. This paper presents DACIA, a system that provides mechanisms for building such groupware applications. Using DACIA, components of a groupware application can be moved to different hosts during execution, while maintaining communication connectivity with groupware services and other users. DACIA provides mechanisms that simplify building groupware for domains where users are mobile. New co ...

5 Software security and privacy risks in mobile e-commerce



Anup K. Ghosh, Tara M. Swaminatha

February 2001 **Communications of the ACM**, Volume 44 Issue 2

Publisher: ACM Press

Full text available: pdf(90.58 KB) html(38.81 KB) Additional Information: [full citation](#), [appendices and supplements](#), [references](#), [cited by](#), [index terms](#)

6 Assurance in life/nation critical endeavors: Biometrics or ... biohazards?



John Michael Williams

September 2002 **Proceedings of the 2002 workshop on New security paradigms NSPW '02**

Publisher: ACM Press

Full text available: pdf(1.17 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

IPSE DIXIT Biometrics as an array of deployable technologies presumes an elaborate infrastructure, including underlying science that justifies its claims of detection, classification, identification and authentication of individual human identities; particularly of those who are runaways, illegal immigrants, fugitives, criminals, terrorists, and so on. This will now too often be literally a matter of life and death, both for the public and the individuals identified. The "New Security Paradigm" em ...

7 Special session on security on SoC: Securing wireless data: system architecture challenges



Srivaths Ravi, Anand Raghunathan, Nachiketh Potlapally

October 2002 **Proceedings of the 15th international symposium on System Synthesis ISSS '02**

Publisher: ACM Press

Full text available: pdf(172.35 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Security is critical to a wide range of current and future wireless data applications and services. This paper highlights the challenges posed by the need for security during system architecture design for wireless handsets, and provides an overview of emerging techniques to address them. We focus on the computational requirements for securing wireless data transactions, revealing a gap between these requirements and the trends in

processing capabilities of embedded processors used in wireless h ...

Keywords: 3DES, AES, DES, IPSec, RSA, SSL, WTLS, decryption, design methodology, embedded system, encryption, handset, mobile computing, performance, platform, security, security processing, system architecture, wireless communications

8 Authentication and authorization: Securing passwords against dictionary attacks



Benny Pinkas, Tomas Sander

November 2002 **Proceedings of the 9th ACM conference on Computer and communications security CCS '02**

Publisher: ACM Press

Full text available: pdf(216.72 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The use of passwords is a major point of vulnerability in computer security, as passwords are often easy to guess by automated programs running dictionary attacks. Passwords remain the most widely used authentication method despite their well-known security weaknesses. User authentication is clearly a practical problem. From the perspective of a service provider this problem needs to be solved within real-world constraints such as the available hardware and software infrastructures. From a user' ...

9 Problems with DCE security services



Gregory White, Udo Pooch

October 1995 **ACM SIGCOMM Computer Communication Review**, Volume 25 Issue 5

Publisher: ACM Press

Full text available: pdf(479.39 KB) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Distributed computing is receiving an ever increasing amount of interest and with it come many challenges, not the least of which is how to maintain system and network security. Issues relating to user authentication, access authorization, and communication security must be addressed when multiple, heterogeneous systems are connected. While these issues have been addressed in OSs DCE, several problems remain. This paper describes some of these problems.

10 Strategic directions in electronic commerce and digital libraries: towards a digital agora



Nabil Adam, Yelena Yesha

December 1996 **ACM Computing Surveys (CSUR)**, Volume 28 Issue 4

Publisher: ACM Press

Full text available: pdf(244.34 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

11 Computer security: A conceptual framework for testing biometric algorithms within operating systems' authentication



Arslan Brömme, Marcel Kronberg, Oliver Ellenbeck, Oliver Kasch

March 2002 **Proceedings of the 2002 ACM symposium on Applied computing SAC '02**

Publisher: ACM Press

Full text available: pdf(675.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper presents a conceptual framework for testing the implementation of biometric algorithms within Unix and Windows NT/2000 operating systems' login authentication. To support the analysis and evaluation of biometric algorithms, a data logging module will be used, enabling the collection of quantitative data, e.g. timestamps, biometric raw data, (pre)processed data, and return codes from each run of a biometric authentication. It is

shown how biometric algorithms and a data logging module ...

Keywords: biometric authentication, evaluation, operating system, robustness, testing biometric algorithms

12 Reflection as a mechanism for software integrity verification



Diomidis Spinellis

February 2000 **ACM Transactions on Information and System Security (TISSEC)**, Volume 3 Issue 1

Publisher: ACM Press

Full text available: pdf(85.99 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

The integrity verification of a device's controlling software is an important aspect of many emerging information appliances. We propose the use of reflection, whereby the software is able to examine its own operation, in conjunction with cryptographic hashes as a basis for developing a suitable software verification protocol. For more demanding applications meta-reflective techniques can be used to thwart attacks based on device emulation strategies. We demonstrate how our approach can be ...

Keywords: cryptographic hash function, embedded device, message digest

13 Integrated network computing models, programming modes and software tools



V. K. Murthy, E. V. Krishnamurthy

February 1998 **Proceedings of the 1998 ACM symposium on Applied Computing SAC '98**

Publisher: ACM Press

Full text available: pdf(698.60 KB) Additional Information: [full citation](#), [references](#), [index terms](#)

14 Application-layer mobility using SIP



Henning Schulzrinne, Elin Wedlund

July 2000 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 4 Issue 3

Publisher: ACM Press

Full text available: pdf(1.34 MB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

Supporting mobile Internet multimedia applications requires more than just the ability to maintain connectivity across subnet changes. We describe how the Session Initiation Protocol (SIP) can help provide terminal, personal, session and service mobility to applications ranging from Internet telephony to presence and instant messaging. We also briefly discuss application-layer mobility for streaming multimedia applications initiated by RTSP.

15 P6: Document-based inter-organizational information exchange



Reinhard Riedl

October 2001 **Proceedings of the 19th annual international conference on Computer documentation SIGDOC '01**

Publisher: ACM Press

Full text available: pdf(217.62 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we present our research work on document services for interstate e-government carried out in the FASME project. First, we depict the background for our research and we describe its basic challenges. Then we discuss the required services out of the perspective of inter-organizational document services and documentation issues.

From the evaluations of our prototypical implementation with user groups, we may conclude that interstate e-government services are feasible and that life w ...

Keywords: e-government, inter-organizational work-flows

16 Making computers disappear: appliance data services



Andrew C. Huang, Benjamin C. Ling, John Barton, Armando Fox

July 2001 **Proceedings of the 7th annual international conference on Mobile computing and networking MobiCom '01**

Publisher: ACM Press

Full text available: pdf(691.57 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Digital appliances designed to simplify everyday tasks are readily available to end consumers. For example, mobile users can retrieve Web content using handheld devices since content retrieval is well-supported by infrastructure services such as transformational proxies. However, the same type of support is lacking for input-centric devices, those that create content and allow users to share content. This lack of infrastructural support makes input-centric devices hard to use and less useful. ...

17 Security: Zero-interaction authentication



Mark D. Corner, Brian D. Noble

September 2002 **Proceedings of the 8th annual international conference on Mobile computing and networking MobiCom '02**

Publisher: ACM Press

Full text available: pdf(273.30 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Laptops are vulnerable to theft, greatly increasing the likelihood of exposing sensitive files. Unfortunately, storing data in a cryptographic file system does not fully address this problem. Such systems ask the user to imbue them with long-term authority for decryption, but that authority can be used by anyone who physically possesses the machine. Forcing the user to frequently reestablish his identity is intrusive, encouraging him to disable encryption. Our solution to this problem is Zero- ...

Keywords: *cryptographic file systems, mobile computing, stackable file systems, transient authentication*

18 I M everywhere: What is chat doing in the workplace?



Mark Handel, James D. Herbsleb

November 2002 **Proceedings of the 2002 ACM conference on Computer supported cooperative work CSCW '02**

Publisher: ACM Press

Full text available: pdf(627.10 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We report an empirical study of a synchronous messaging application with group-oriented functionality designed to support teams in the workplace. In particular, the tool supports group chat windows that allow members of a group to communicate with text that persists for about a day. We describe the experience of 6 globally-distributed work groups who used the tool over a period of 17 months. An analysis of use shows that the group functionality was used primarily for bursts of synchronous conver ...

Keywords: MUD, awareness, chat, groupware, instant messaging, presence, teams

19 Trusted products evaluation



Santosh Chokhani

July 1992 **Communications of the ACM**, Volume 35 Issue 7

Publisher: ACM Press

Full text available: [pdf\(4.09 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

Keywords: TCSEC, covert channel analysis, integrity, security, trust

20 Role-based access control on the Web using Java



Luigi Giuri

October 1999 **Proceedings of the fourth ACM workshop on Role-based access control RBAC '99**

Publisher: ACM Press

Full text available: [pdf\(729.08 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Results 1 - 20 of 33

Result page: [1](#) [2](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

Results for "((biometric and client and server and (feature or piece or sample or portion or pixel))<in>met..."

Your search matched 1 of 1670222 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[view selected items](#)

[Select All](#) [Deselect All](#)

- ☐ 1. Voice Biometric Authentication for Enhancing Internet Service Security
Kounoudes, A.; Kekatos, V.; Mavromoustakos, S.;
[Information and Communication Technologies, 2006. ICTTA '06. 2nd](#)
Volume 1, 24-28 April 2006 Page(s):1020 - 1025
[AbstractPlus](#) | Full Text: [PDF\(11440 KB\)](#) IEEE CNF
[Rights and Permissions](#)



[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE -

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((biometric client server and feature or piece or sample or portion or pixel)<in>metadata)"
Your search matched 87877 of 1670222 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)

[New Search](#)

» Other Resources
(Available For Purchase)

Top Book Results

[Pulse Width Modulation for Power Converters](#)

by Lipo, T. A.; Holmes, D. G.;
Hardcover, Edition: 1

[Wavelets in Electromagnetics and Device Modeling](#)

by Pan, G. W.;
Hardcover, Edition: 1

[DSP-Based Testing of Analog and Mixed-Signal Circuits](#)

by Mahoney, M.;
Paperback, Edition: 1

[IEEE Computer Society Real-World Software Engineering Problems](#)

by Seidman, S. B.; Naveda, J. F.;
Paperback, Edition: 1

[Signal Analysis](#)

by Mills, D.; Allen, R. L.;
Hardcover, Edition: 1

[View All 56 Result\(s\)](#)

» Key



Indicates full text access

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((biometric client server and feature or piece or sample or portion or pixel)<in>metada



☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

[view selected items](#)

[Select All](#) [Deselect All](#)

View: 1-25 | [26-5](#)

- ☐ 1. [Quality-Aware Sampling and Its Applications in Incremental Data Mining](#)
Kun-Ta Chuang; Keng-Pei Lin; Ming-Syan Chen;
[Knowledge and Data Engineering, IEEE Transactions on](#)
Volume 19, [Issue 4](#), April 2007 Page(s):468 - 484
Digital Object Identifier 10.1109/TKDE.2007.1005
[Abstract](#) | Full Text: [PDF\(2897 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. [Optimal design of CMOS pseudoactive pixel sensor \(PAPS\) structure for and large-array-size imager applications](#)
Yu-Chuan Shih; Chung-Yu Wu;
[Sensors Journal, IEEE](#)
Volume 5, [Issue 5](#), Oct. 2005 Page(s):956 - 963
Digital Object Identifier 10.1109/JSEN.2004.841429
[Abstract](#) | Full Text: [PDF\(1296 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. [Monolithic active pixel sensors with in-pixel double sampling operation a discrimination](#)
Deptuch, G.; Claus, G.; Colledani, C.; Degerli, Y.; Dulinski, W.; Fourches, N.; G Grandjean, D.; Himmi, A.; Hu-Guo, C.; Lutz, P.; Rouger, M.; Valin, I.; Winter, M
[Nuclear Science, IEEE Transactions on](#)
Volume 51, [Issue 5](#), Part 1, Oct. 2004 Page(s):2313 - 2321
Digital Object Identifier 10.1109/TNS.2004.835551
[Abstract](#) | Full Text: [PDF\(1008 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. [Fast sub-pixel inter-prediction - based on texture direction analysis \(FSIP coding applications\]](#)
Hoi-Ming Wong; Au, O.C.; Chang, A.;
[Circuits and Systems, 2005. ISCAS 2005. IEEE International Symposium on](#)
23-26 May 2005 Page(s):5477 - 5480 Vol. 6
Digital Object Identifier 10.1109/ISCAS.2005.1465876
[Abstract](#) | Full Text: [PDF\(784 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. [Selectivity estimation for joins using systematic sampling](#)
Harangsri, B.; Shepherd, J.; Ngu, A.;

Database and Expert Systems Applications, 1997. Proceedings., Eighth International Conference on
1-2 Sept. 1997 Page(s):384 - 389
Digital Object Identifier 10.1109/DEXA.1997.617318
[Abstract](#) | [Full Text: PDF\(496 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 6. **A 640×512 CMOS image sensor with ultrawide dynamic range floating-point ADC**
Yang, D.X.D.; Gamal, A.E.; Fowler, B.; Tian, H.;
Solid-State Circuits, IEEE Journal of
Volume 34, Issue 12, Dec. 1999 Page(s):1821 - 1834
Digital Object Identifier 10.1109/4.808907
[Abstract](#) | [Full Text: PDF\(860 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 7. **Delayed-pilot sampling for mixture Kalman filter with application in fading**
Xiaodong Wang; Rong Chen; Dong Guo;
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]
Volume 50, Issue 2, Feb. 2002 Page(s):241 - 254
Digital Object Identifier 10.1109/78.978380
[Abstract](#) | [Full Text: PDF\(467 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 8. **The fundamentals of average local Variance-part II: sampling simple regular optical imagery**
Bocher, P.K.; McCloy, K.R.;
Image Processing, IEEE Transactions on
Volume 15, Issue 2, Feb. 2006 Page(s):311 - 318
Digital Object Identifier 10.1109/TIP.2005.860621
[Abstract](#) | [Full Text: PDF\(1072 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 9. **CMOS image sensors comprised of floating diffusion driving pixels with backside photodiode**
Mabuchi, K.; Nakamura, N.; Funatsu, E.; Abe, T.; Umeda, T.; Hoshino, T.; Suzuki, T.;
Solid-State Circuits, IEEE Journal of
Volume 39, Issue 12, Dec. 2004 Page(s):2408 - 2416
Digital Object Identifier 10.1109/JSSC.2004.837085
[Abstract](#) | [Full Text: PDF\(1496 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 10. **Filter Importance Sampling**
Ernst, M.; Stamminger, M.; Greiner, G.;
Interactive Ray Tracing 2006, IEEE Symposium on
Sept. 2006 Page(s):125 - 132
Digital Object Identifier 10.1109/RT.2006.280223
[Abstract](#) | [Full Text: PDF\(9887 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 11. **An In-Depth, Analytical Study of Sampling Techniques for Self-Similar Internet Traffic**
Guanghui He; Hou, J.C.;
Distributed Computing Systems, 2005. ICDCS 2005. Proceedings, 25th IEEE International Conference on
06-10 June 2005 Page(s):404 - 413
Digital Object Identifier 10.1109/ICDCS.2005.11
[Abstract](#) | [Full Text: PDF\(312 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ 12. Optimal sampling functions in nonuniform sampling driver designs to ov Nyquist limit
Papanfub, F.; Artyukh, Y.; Boole, E.; Timmermann, D.;
Multimedia and Expo. 2003. ICME '03. Proceedings. 2003 International Confer
Volume 2, 6-9 July 2003 Page(s):II - 613-16 vol.2
Digital Object Identifier 10.1109/ICME.2003.1221691

[Abstract](#) | Full Text: [PDF](#)(319 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 13. Sub-optimal quarter-pixel inter-prediction algorithm (SQIA)
Hoi-Ming Wong; Au, O.C.; Jinxin Huang; Shiju Zhang; Yan, W.N.;
Acoustics, Speech, and Signal Processing. 2005. Proceedings. (ICASSP '05).
International Conference on
Volume 2, 18-23 March 2005 Page(s):ii/921 - ii/924 Vol. 2
Digital Object Identifier 10.1109/ICASSP.2005.1415556

[Abstract](#) | Full Text: [PDF](#)(2198 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 14. Monolithic active pixel sensors with in-pixel double sampling operation a discrimination
Deptuch, G.; Claus, G.; Colledani, C.; Degerli, Y.; Dulinski, W.; Fourches, N.; G Himmi, A.; Hu-Guo, C.; Lutz, P.; Rouger, M.; Valin, I.; Winter, M.;
Nuclear Science Symposium Conference Record, 2003 IEEE
Volume 1, 19-25 Oct. 2003 Page(s):551 - 555 Vol.1
Digital Object Identifier 10.1109/NSSMIC.2003.1352103

[Abstract](#) | Full Text: [PDF](#)(1261 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 15. Mueller matrix based classification of polarimetric SAR data
Qong, M.; Tadono, T.; Wakabayashi, H.; Shimada, M.;
Geoscience and Remote Sensing Symposium, 2000. Proceedings. IGARSS 20
International
Volume 1, 24-28 July 2000 Page(s):375 - 377 vol.1
Digital Object Identifier 10.1109/IGARSS.2000.860524

[Abstract](#) | Full Text: [PDF](#)(248 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 16. Quantized sampling as sampling with uncertainty in time and amplitude
Chai Wah Wu; Chua, L.O.;
Circuits and Systems I: Fundamental Theory and Applications, IEEE Transacti
Circuits and Systems I: Regular Papers, IEEE Transactions on]
Volume 45, Issue 4, April 1998 Page(s):458 - 463
Digital Object Identifier 10.1109/81.669069

[Abstract](#) | Full Text: [PDF](#)(224 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 17. Efficient Reservoir Sampling for Transactional Data Streams
Manoranjan Dash; Ng, W.;
Data Mining Workshops, 2006. ICDM Workshops 2006. Sixth IEEE Internation
Dec. 2006 Page(s):662 - 666
Digital Object Identifier 10.1109/ICDMW.2006.68

[Abstract](#) | Full Text: [PDF](#)(280 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 18. Budgeted region sampling (BeeRS): do not separate sampling from warm spend wisely your simulation budget
Perez, D.G.; Berry, H.; Temam, O.;
Signal Processing and Information Technology, 2005. Proceedings of the Fifth

International Symposium on
18-21 Dec. 2005 Page(s):1 - 6
Digital Object Identifier 10.1109/ISSPIT.2005.1577060
Abstract | Full Text: PDF(653 KB) IEEE CNF
Rights and Permissions

- ☐ 19. **Optical sampling of subnanosecond light pulses**
Duguay, M.A.; Hansen, J.W.;
Electron Devices Meeting, 1968 International
Volume 14, 1968 Page(s):34 - 36
Abstract | Full Text: PDF(176 KB) IEEE CNF
Rights and Permissions
- ☐ 20. **Optimal sampling functions in nonuniform sampling driver designs to ov
Nyquist limit**
Papenfuss, F.; Artyukh, Y.; Boole, E.; Timmermann, D.;
Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03).
International Conference on
Volume 6, 6-10 April 2003 Page(s):VI - 257-60 vol.6
Digital Object Identifier 10.1109/ICASSP.2003.1201667
Abstract | Full Text: PDF(320 KB) IEEE CNF
Rights and Permissions
- ☐ 21. **Novel integrated CMOS sensor circuits**
Kleinfelder, S.; Bieser, F.; Yandong Chen; Gareus, R.; Matis, H.S.; Oldenburg,
Ritter, H.G.; Wieman, H.H.; Yamamoto, E.;
Nuclear Science, IEEE Transactions on
Volume 51, Issue 5, Part 1, Oct. 2004 Page(s):2328 - 2336
Digital Object Identifier 10.1109/TNS.2004.836150
Abstract | Full Text: PDF(1384 KB) IEEE JNL
Rights and Permissions
- ☐ 22. **Software-synchronized all-optical sampling for fiber communication syst**
Westlund, M.; Sunnerud, H.; Karlsson, M.; Andrekson, P.A.;
Lightwave Technology, Journal of
Volume 23, Issue 3, March 2005 Page(s):1088 - 1099
Digital Object Identifier 10.1109/JLT.2004.838875
Abstract | Full Text: PDF(664 KB) IEEE JNL
Rights and Permissions
- ☐ 23. **The Dualbeam (FIB/SEM) and its Applications - Nanoscale Sample Prepar
Modification**
Lawrence, P.;
Vacuum Nanoelectronics Conference, 2006 and the 2006 50th International Fi
Symposium., IVNC/IFES 2006. Technical Digest. 19th International
July 2006 Page(s):127 - 128
Digital Object Identifier 10.1109/IVNC.2006.335390
Abstract | Full Text: PDF(864 KB) IEEE CNF
Rights and Permissions
- ☐ 24. **An automated detection system for large vehicle-bombs**
Rich, B.G.; Vandrish, G.; Pomalis, R.;
Security Technology, 2000. Proceedings. IEEE 34th Annual 2000 International
Conference on
23-25 Oct. 2000 Page(s):201 - 206
Digital Object Identifier 10.1109/CCST.2000.891188
Abstract | Full Text: PDF(524 KB) IEEE CNF
Rights and Permissions



25. Reliability Sampling Methodology Using Simulation and Re-Sampling
Nierwinski, J.;
Reliability, IEEE Transactions on
Volume 56, Issue 1, March 2007 Page(s):125 - 131
Digital Object Identifier 10.1109/TR.2006.884598
Abstract | Full Text: PDF(211 KB) IEEE JNL
Rights and Permissions

View: 1-25 | 26-5

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE –

Indexed by
 **Inspection**

Google

(segmentation OR split) biometric

Search

[Advanced Search](#)
[Preferences](#)

Web Groups Results 1 - 10 of about 1,420,000 for (segmentation OR split) biometric. (0.32 seconds)

[PDF] [LNCS 4142 - Pedestrian Detection Using Stereo and Biometric ...](#)

1, is **split** into two separate steps. The first step removes disparity points steps are **biometric segmentation** followed by merging of detached regions. ...
www.springerlink.com/index/p0122115v43730u8.pdf - [Similar pages](#)

[PDF] [U.S.N.A. --- Trident Scholar project report; no. 331 \(2005\) Non ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Both orthogonal and non-orthogonal iris images were used to collect. quantitative results.
Keywords: non-orthogonal, iris, **segmentation**, **biometric**, ...
stinet.dtic.mil/dticrev/PDFs/ADA437155.pdf - [Similar pages](#)

[A segmentation-free biometric writer verification method based on ...](#)

J. 41 (8), 559-565], we have developed a new **segmentation**-free, text-independent **biometric** writer verification method improving the average correct ...
portal.acm.org/citation.cfm?id=1167564 - [Similar pages](#)

[PDF] [On-line signature verification using local shape analysis ...](#)

Model; **Segmentation**; **Biometric** authentication; Shape. analysis;. 1. Introduction.
Signature verification is a **biometric** attribute. Well-. known **biometric** ...
ieeexplore.ieee.org/iel5/8701/27545/01227680.pdf - [Similar pages](#)

[PDF] [Fetal Brain MRI: Segmentation and Biometric Analysis of the ...](#)

netic resonance image **segmentation** and **biometric** analysis of the "**Split**-and-merge **segmentation** of magnetic resonance medical images: ...
ieeexplore.ieee.org/iel5/10/28546/01275577.pdf - [Similar pages](#)
[[More results from ieeexplore.ieee.org](#)]

[Cryptographic key split combiner - US Patent 6549623](#)

wherein said plurality of key **split** generators includes a **biometric split** The process of claim 34, wherein generating a **biometric key split** includes ...
www.patentstorm.us/patents/6549623-claims.html - 27k - [Cached](#) - [Similar pages](#)

[Cryptographic key split combiner - US Patent 6606386](#)

The cryptographic key **split** combiner of claim 1, wherein said plurality of key **split** generators includes a **biometric split** generator for generating a ...
www.patentstorm.us/patents/6606386-claims.html - 27k - [Cached](#) - [Similar pages](#)
[[More results from www.patentstorm.us](#)]

[Acuity Market Intelligence - Data Store: Biometrics Market ...](#)

Biometrics Market Briefs Two to four page briefs which may include data charts, **segmentation** matrices, market evolution models as well as written analysis. ...
www.acuity-mi.com/Data_Store.html - 60k - [Cached](#) - [Similar pages](#)

[Curriculum Vitae - Jiali Cui, Ph.D.](#)

Jiali Cui, Li Ma, Yunhong Wang, Tieniu Tan, Zhenan Sun, "A Fast and Robust Iris Localization Method based on Texture **Segmentation**", **Biometric** Technology ...
childpsych.columbia.edu/brainimaging/CV_Cui.html - 7k - [Cached](#) - [Similar pages](#)

[Keith Price Bibliography Dental Identification, Dental Biometrics](#)

Tooth **Segmentation** of Dental Study Models Using Range Images, Earlier: **Biometric** Identification System Based on Dental Features, ...
www.visionbib.com/bibliography/people937.html - 27k - [Cached](#) - [Similar pages](#)

Google Groups results for (segmentation OR split) biometric



The Law Loft: Surviving the **Biometric** ID Card - misc.survivalism - Mar 22, 1996
[Analyzing biometrics \(was Re: Req. for help: need ...](#) - comp.lang.perl.misc - May 29, 2001
[some grants mind, expand, and split. Others no inform](#) - sci.crypt - Jun 28, 2007

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Google

(combine OR split) biometric (minutiae OR Ga [Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 33,600 for (combine OR split) biometric (minutiae OR Gallon characteristics). (0

Method and device for verifying a biometric characteristic ...

The **minutiae** are **characteristic** points or shapes, etc., The inventive method is performed with consideration of this **split** by specifying matrix A for ...
www.freepatentsonline.com/6798334.html - 46k - [Cached](#) - [Similar pages](#)

[PDF] Fuzzy Fingerprint Vault

File Format: PDF/Adobe Acrobat - [View as HTML](#)

combine biometric authentication and cryptography. In. this paper, we explore the use of a fingerprint **minutiae**. representation scheme in this construct ...
biometrics.cse.msu.edu/Publications/

SecureBiometrics/UludagJain_FuzzyFpVault_BCW04.pdf - [Similar pages](#)

<html><head><title>Biometrics...

Biometric cryptosystems combine Although soft biometric characteristics lack the ...

biometrics.cse.msu.edu/abstracts.html - 97k - [Cached](#) - [Similar pages](#)

[[More results from biometrics.cse.msu.edu](#)]

Method and device for verifying a biometric characteristic - US ...

The **minutiae** are **characteristic** points or shapes, etc., of the fingerprint lines, matrix A is **split** into orthogonal matrix T and diagonal matrix D, ...
www.patentstorm.us/patents/6798334-description.html - 43k - [Cached](#) - [Similar pages](#)

[PS] A Multimodal Biometric System Using Fingerprint, Face, and Speech

File Format: Adobe PostScript - [View as Text](#)

et al: [11] have proposed to **combine biometric** data. (e:g, voice) with non-biometric data (e:g: most prominent ridge **characteristics**, called **minutiae**, ...

www.cse.msu.edu/publications/tech/TR/MSU-CPS-98-32.ps.Z - [Similar pages](#)

[PPT] EE 7730: Lecture 1

File Format: Microsoft Powerpoint - [View as HTML](#)

The two most prominent ridge **characteristics**, called **minutiae**, are: ... Estimating deformations; Multiple matchers & **combine** results; Multimodel **biometrics** ...

www.ece.lsu.edu/gunturk/EE7700/Lecture%20-%20Fingerprint.ppt - [Similar pages](#)

[PDF] ICMi 2003 Slides

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Biometric characteristics. • Difficult pattern recognition problem Use elastic string matching to obtain **minutiae** correspondences. © Anil Jain, 2003 ...

icmi.cs.ucsb.edu/Misc/JainSlides2.pdf - [Similar pages](#)

[PDF] Multimodal User Interfaces: Who's the User? Multimodal User ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Biometric characteristics. • Difficult pattern recognition problem Use elastic string matching to obtain **minutiae** correspondences ...

icmi.cs.ucsb.edu/Misc/JainSlides.pdf - [Similar pages](#)

[PDF] Multimodal Biometrics: An Overview

File Format: PDF/Adobe Acrobat - [View as HTML](#)

impostor to spoof multiple **biometric** traits of a genuine user [11] **combine** the matching score of a **minutiae**-based fingerprint matcher with that ...
www.eurasip.org/content/Eusipco/2004/defevent/papers/cr1937.pdf - [Similar pages](#)

[PDF] **Biometric Digital Signature Key Generation and Cryptography ...**
set of **minutiae** are extracted from the enhanced image. ... In order to **combine biometric** authentication with cryptographic techniques, ...
www.springerlink.com/index/x2371g0648722522.pdf - [Similar pages](#)

1 2 3 4 5 6 7 8 9 10 **Next**

Try [Google Desktop](#): search your computer as easily as you search the web.

(combine OR split) biometric (minutia)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)



[Advanced Patent Search](#)
[Google Patent Search](#)

Patents

Patents 1 - 3 on **split biometric combine**. (0.20 seconds)

« [View all web results for **split biometric combine**](#)

[Sort by relevance](#) | [Sort by date \(new first\)](#) | [Sort by date \(old first\)](#)

Encryption process including a **biometric** unit

US Pat. 7111173 - Filed Sep 1, 1999 - Tecsec, Inc.

The method of claim 11, further comprising selecting should be to **combine** labels representing a mandated com- the at least one label **split** from at least one ...

Method and apparatus for providing a software agent at a destination host

US Pat. 7010810 - Filed Mar 29, 2001 - Litton Industries, Inc.

A piece of mobile software called a software agent is **split** into an executable code unit ... challenge and response encryption, **biometric** identification, ...

Method and an apparatus for the simultaneous determination of surface ...

US Pat. 7246905 - Filed Jul 18, 2003

... apertures 20 are pro- In order to **combine** the two measuring methods,

Biometric data allow the respect to form and curvature in local coding, ...

[Google Patent Search Help](#) | [Advanced Patent Search](#)

[Google Home](#) - [About Google](#) - [About Google Patent Search](#)

©2007 Google